



TAPE DECK
ML-756

NOTE (*)
 1. ALL RESISTORS ARE IN OHMS UNLESS NOTED OTHERWISE.
 2. ALL CAPACITORS ARE IN uFD UNLESS NOTED OTHERWISE.
 3. ALL DIODES ARE 1N4148 UNLESS OTHERWISE NOTED.
 4. ALL PNP TRANSISTORS ARE 1015CR (OR KTL15048-G)
 ALL NPN TRANSISTORS ARE 1815CR (OR KTC1875B-G)
 5. VR2 INCLUDES SW.
 6. U209 IS 6513 CR KA2857

SECRET MEMBER

J201	J202	J203	SEC. NO.
A	A	A	01
A	A	A	02
A	A	A	03
A	A	A	04
A	A	A	05
A	A	A	06
A	A	A	07
A	A	A	08
A	A	A	09
A	A	A	10
A	A	A	11
A	A	A	12
A	A	A	13
A	A	A	14
A	A	A	15
A	A	A	16
A	A	A	17
A	A	A	18
A	A	A	19
A	A	A	20
A	A	A	21
A	A	A	22
A	A	A	23
A	A	A	24
A	A	A	25
A	A	A	26
A	A	A	27
A	A	A	28
A	A	A	29
A	A	A	30
A	A	A	31
A	A	A	32
A	A	A	33
A	A	A	34
A	A	A	35
A	A	A	36
A	A	A	37
A	A	A	38
A	A	A	39
A	A	A	40
A	A	A	41
A	A	A	42
A	A	A	43
A	A	A	44
A	A	A	45
A	A	A	46
A	A	A	47
A	A	A	48
A	A	A	49
A	A	A	50
A	A	A	51
A	A	A	52
A	A	A	53
A	A	A	54
A	A	A	55
A	A	A	56
A	A	A	57
A	A	A	58
A	A	A	59
A	A	A	60
A	A	A	61
A	A	A	62
A	A	A	63
A	A	A	64
A	A	A	65
A	A	A	66
A	A	A	67
A	A	A	68
A	A	A	69
A	A	A	70
A	A	A	71
A	A	A	72
A	A	A	73

1 = INSTALL
 0 = REMOVE

Abrecht Electronic GmbH
 Messtechnik / Labor
 Dieselstrasse 7
 D-42781 Haan

Title: CALLBUTLER I (May 1995 Version)

Size: Document Number
 C File: CALL-1NE.SCH

Date: Friday, January 19, 2001 Sheet 1 of 1